	Lethal Ammunition
Туре	Federal Premium Duty Ammunition .223 Caliber 55 Grain rifle round
Description	Federal Ammunition features a lead core Hi Shock Soft Point bullet which offers great stopping power and excellent penetration, a non corrosive primer and brand new never fired brass casing and nickel plated brass primer.
Quantity	500
Capabilities	0-300 yards
Expected Lifespan	10 years
Manufacturer's Desription	Federal TRU 223 ammo is custom made ammunition for the Urban Law Enforcement Officer in mind. It features a lead core Hi Shock Soft Point bullet which offers great stopping power and excellent penetration, a non corrosive primer and brand new never fired brass casing and nickel plated brass primer. This LE Tactical ammo can be reloaded up to 5 times for those shooters that reload their 223 ammo. Federal LE 223 Remington has a muzzle velocity of 3050 feet per second and a muzzle energy of 1266 ft lbs. Federal TRU ammunition is engineered using Mil-Quality specifications. Each Federal TRU cartridge is made using select mil-quality low flash powders that do not disrupt an officer's night vision. The TRU case and web are built using thicker brass, adding the extra strength needed for the high powered rifle. TRU primers are crimped for added holding ability. This virtually eliminates backed out primers that can lock-up your weapon. With TRU ammunition, potentially disastrous situations are greatly reduced. TRU bullets are specifically engineered ranging from fragmenting designs for tactical entry to deeper penetrating bullets for patrol.
Purpose and	To project a force against a selected target to have and effect and stop the threat when other reasonable options are not
Authorized Uses	viable. A verbal warning should precede its application
Fiscal Impact	\$399.90 per case of 200
Legal and Procedural Rules	Refer to policies 300, 300.4, 300.4.1, 300.5, 300.5.1, 300.5.3, 300.11, 303, 303.3
Required Training	Sworn members utilizing Winchester Ammunition are trained in their use by CA POST certified instructors.
Compliance Mechanisms	Use is subject to applicable policies (303.3, 303.3.2)

	Lethal Ammunition
Туре	PMC Target Ammunition .223 Caliber 55 Grain rifle round
Description	PMC 223A ammo features a ball 55 Grain full metal jacket bullet, a boxer primer that is non-corrosive
Quantity	500
Capabilities	0-300 yards
Expected Lifespan	10 years
Manufacturer's Desription	PMC 223A ammo features a ball 55 Grain full metal jacket bullet, a boxer primer that is non-corrosive and brand new never fired virgin brass casing. This Bronze line ammo can be reloaded several times for those high volume shooters that love to reload their 223 ammunition. PMC 223 Remington 55 Grain FMJ ammo offers muzzle velocity of 3200 feet per second and muzzle energy of 1250 ft. lbs. PMC Bronze Line offers reliable performance for every shooting application, from plinking to target shooting to most hunting applications. This popular ammunition line makes it possible for budget-conscious hunters and shooters to go into the field or to the range with plenty of ammunition. All components are quality controlled in house by PMC to assure you receive a better product with consistently reliable parts. This PMC ammo is packaged in boxes of 20 rounds and cases of 1000 rounds. Combining innovation, comprehensive testing and proven track record of success; Range ammunition is designed to meet the toughest requirements set by the law enforcement community.
Purpose and Authorized Uses	Practice
Fiscal Impact	\$349.00 per case of 1000
Legal and Procedural Rules	Refer to policies 300, 300.4, 300.4.1, 300.5, 300.5.1, 300.5.3, 300.11, 303, 303.3
Required Training	Sworn members utilizing PMC Ammunition are trained in their use by CA POST certified instructors.
Compliance Mechanisms	Use is subject to applicable policies (303.3, 303.3.2)

	Lethal Ammunition
Туре	Winchester Ranger Duty Ammunition .223 Caliber 55 Grain rifle round
Description	Winchester Ranger Ammunition features brass cases and crimped primers and is a non-corrosive round. This ammunition is
	loaded with a Lead Soft Point bullet designed for rapid expansion.
Quantity	800
Capabilities	0-300 yards
Expected Lifespan	10 years
Manufacturer's	Winchester Ranger ammunition can be relied on to deliver consistent stopping power in real world situations. The
Desription	Winchester brand has helped protect law enforcement officers and defend the general public since 1866. Combining
	innovation, comprehensive testing and proven track record of success; Range ammunition is designed to meet the toughest
	requirements set by the law enforcement community.
Purpose and	To project a force against a selected target to have and effect and stop the threat when other reasonable options are not
Authorized Uses	viable. A verbal warning should precede its application
Fiscal Impact	\$199.90 per case of 200
Legal and Procedural	Refer to policies 300, 300.4, 300.4.1, 300.5, 300.5.1, 300.5.3, 300.11, 303, 303.3
Rules	
Required Training	Sworn members utilizing Winchester Ammunition are trained in their use by CA POST certified instructors.
Compliance	Use is subject to applicable policies (303.3, 303.3.2)
Mechanisms	·

Less Lethal Weapon		
Туре	40 mm Launcher	
Description	LMT Defence 40mm Launcher	
Quantity	3	
Capabilities	The LMT 40mm Launcher range is projectile type depended, effective range approximately 140 feet	
Expected Lifespan	15 years	
Manufacturer's	A 40mm single shot launcher that features a folding stock and an adjustable Integrated Front Grip (IFG) with a light rail. The	
Desription	Ambidextrous Lateral Sling Mount (LSM) and QD mounting systems allow both a single and two point sling attachment.	
Purpose and	To compel an individual to cease his/her actions when such less lethal weapon presents a reasonable option. A verbal	
Authorized Uses	warning of the intended use of the device should precede its application.	
Fiscal Impact	\$844.00 (each plus taxes and shipping)	
Legal and Procedural	Refer to Policies 300, 301, 301.8-301.11	
Rules		
Required Training	Sworn members utilizing the 40mm Less Lethal impact rounds are trained in their use by CA POST certified Less Lethal Instructors	
Compliance	Use is subject to the applicable policies (300.5, 300.5.1, 300.5.3, 301, 303.4)	
Mechanisms		

	Lethal Weapon
Туре	Semi-Auto Patrol Rifle
Description	Aero Precision X-15, Multi-Cal (.223/5.56mm), black in color, with aluminum handguard, and adjustible stock.
Quantity	16
Capabilities	A rifle that fires an intermediate-power cartridge (.223/5.56mm) which is more powerful/accurate than a standard pistol
Expected Lifespan	10 years
Manufacturer's Desription	The X-15 system features a custom integrated upper receiver and handguard platform that provides the shooter a light-weight, free-floated, rigid design resulting in superior performance and accuracy. Custom 10.5" Upper, M-LOCK free float rail, 10" SLR rail, US GI Flasher Hider, FN M16 bolt and carrier, carbine gas system, MIL Spec charging handle. Aero Precision AC15 lower receiver, with MIL Spec buffer tube, MIL Spec trigger, chrome silicone springs, MAGPUL Multi-Position MOE Stock with pistol grip, MAGPUL MS1 Sligh with QD sling mounts, MAGPUL M-BUS sight Gen 2, front and rear, MAGPUL hand Stop, AIMPoint PRO optic, Streamlight TLR-1 HL mounted light.
Purpose and Authorized Uses	The Aero Precision X-15 enables officers when in compliance with the DRO's Use of Force Polic, to address short to long distance threats, or those threats who are heavily armed, armored or both. Further, in both short and long-distance deployments, they allow officers precision shot placement minimizing the risk to officers and innocent citizens. There are no knonown alternatives to these weapons that will provide the same level of distance and precision.
Fiscal Impact	\$1,125.00 (plus taxes and shipping)
Legal and Procedural Rules	Refer to policies 300, 300.4, 300.4.1, 300.4.2, 300.5.1, 300.5.2, 300.11, 303
Required Training	Sworn members utilizing the Aero Precision X-15 are trained in their use by CA POST certified firearms instructors.
Compliance Mechanisms	Use is subject to the applicable policies (300.4, 300.9, 303.3.2, 303.5, 303.7, 303.8, 303.9)